

florastart

Tradecorp solution to improve flowering and fruit setting



DESCRIPTION

100% soluble crystalline fertilizer containing phosphorus, potassium, boron, molybdenum and L- α -amino acids. Florastart was especially developed to improve flowering and fruit setting in all crops

MAIN BENEFITS

- Ideal product to prevent and correct boron and molybdenum deficiencies
- B and Mo are key micronutrients for fruit trees and vegetable crops (especially cucurbits) at: flower induction, pollen germination, fertilization of flowers, fruit set and fruit development
- Fast action thanks to the translocation effect of L- α -amino acids, which facilitate B and Mo absorption and assimilation
- Contains active phosphorus, a key element for flowering, and an extra source of potassium during the first stages of fruit development

florastart



TECHNICAL SPECIFICATIONS

- Phosphorus (P_2O_5): 9.5% w/w
- Potassium (K_2O): 12.6% w/w
- Boron (B): 8% w/w
- Molybdenum (Mo): 10% w/w
- Free amino acids: 5% w/w
- Presentation: Soluble crystals

FOLIAR APPLICATION

Horticultural crops, cucurbits (cucumber, melon, watermelon, pumpkins, zucchini), alfalfa, strawberry, tomato, pepper, beans, oil seed rape, ornamentals

100-150 g/100 L

2-3 applications starting at pre-flowering till fruit setting, every 12-15 days

Fruit trees and citrus trees, vines and olive trees

100-150 g/100 L

2-3 applications at preflowering, petals fall and fruit setting, every 12-15 days

DOSAGE AND METHOD OF USE

SOIL APPLICATION (DRIP IRRIGATION)

Horticultural crops, cucurbits (cucumber, melon, watermelon, pumpkins, zucchini), strawberry, tomato, pepper, beans, ornamentals

1-1.5 kg/ha

2-3 applications starting at pre-flowering till fruit setting, every 12-15 days

Fruit trees, citrus trees, vines and olive trees

1.5-3 kg/ha

2-3 applications starting at preflowering till fruit setting, every 12-15 days